Version 1.6 | 2025-05-27

http://www.dsco.io support@dsco.io

Table of Contents

Chang	ge History	3
1.0	Introduction	4
2.0	General EDI Guidelines	4
2.1	Timing	ϵ
2.2	Data Integrity	ϵ
2.3	Data Retention	ϵ
3.0	EDI Transaction Overview	7
3.1	EDI Workflow Diagram	7
3.2	Tommy Bahama EDI Transaction Overview	8
4.0	Inventory Advice - EDI 846	g
4.1	846 Segment Hierarchy	10
4.2	846 Segment Specification	11
4.3	846 Examples	12
5.0	Purchase Order - EDI 850	13
5.1		13
6.0	Advance Ship Notice - EDI 856	14
6.1	856 Segment Hierarchy	14
6.2	856 Segment Specification	15
6.3	Example 856	17
7.0	Order Cancel - EDI 860	20
7.1	860 Segment Hierarchy	20
7.2	860 Segment Specification	21
9.3	Example 860	22
8.0	Invoice - EDI 810	23
8.1	810 Segment Hierarchy	23
8.2	810 Segment Specification	25
8.3	Example 810	26
Apper	ndix A - ISA, GS, GE, and IEA	28
Apper	ndix B - Dsco Standard Shipping Codes	30
Apper	ndix C – Tommy Bahama Required Onboarding Fields	31

Change History

Version	Date	Author	Comments
1.0	2022-01-21	T. Whitney	Initial release.
1.1	2022-01-28	T. Whitney	Update to 856 Segment Hierarchy - Fixing S and P levels
1.2	2022-03-17	T. Whitney	Adding 846 PID and general cleanup around item qualifiers
1.3	2022-04-04	S. Egan	Modifications to meet Tommy Bahama requirements
1.4	2022-04-25	S. Egan	Add TXI to 810 to support Canada invoices
1.5	2022-04-27	S. Egan	Add additional TXI segment to 810 example
1.6	2025-05-27	S. Egan/M. Gwizdala	Correct QTY02 status from 'discontinued' to 'out-of-stock' – page 11 Updated verbiage regarding the use of handling fee on 810 – page 23 Add AMT segment (first confirmed it was supported) – page 26

1.0 Introduction

Dsco solves the one-to-many integration relationships that challenge both retailers and suppliers when building a drop shipping operation. Our software platform is used for inventory and order management, consolidation, and automation for dropshipping. We connect the virtual data, about distributed product supply, to retail storefronts.

This document outlines the EDI specifications for suppliers to connect with Tommy Bahama. If you need access to the Dsco EDI Specifications, need help setting up an automated job, or need to access our Support articles, please visit http://support.dsco.io.

2.0 General EDI Guidelines

For Tommy Bahama EDI Imports:

Tommy Bahama supports EDI using the **004010VICS** version for 846, 856, 860 and 810.

Tommy Bahama automated EDI import jobs MUST use the 'Tommy Bahama EDI' template in the 'Standard' dropdown in Dsco>Automation>Jobs>Create Job.

For Tommy Bahama EDI Order exports:

Tommy Bahama supports EDI using the **DSCO** version for 850 Order exports.

Tommy Bahama automated EDI import jobs MUST use the 'DSCO' template in the 'Standard' dropdown in Dsco>Automation>Jobs>Create Job.

Interchange ID

Dsco uses **DSCO** as the Interchange ID with a Qualifier of **ZZ**. However, Dsco also allows you to customize the sender and receiver ID's within the automation configuration.

Supported Exchange Protocols

SFTP

Every Dsco account includes an SFTP account that is specific to that account and is not shared with any other. EDI exchange can use the ftp.dsco.io server or you can use your own SFTP server.

For those utilizing the standard Dsco SFTP servers, please be aware of the following:

- Transactions coming from the Supplier to Dsco need to be placed in the "/in" directory.
- When Dsco processes incoming files, we move the files to the "/in/processing" directory temporarily, while we
 process those files, and then we move them to the "/in/archive" directory once the import has been completed.
- Transactions being generated by Dsco will be deposited in the "/out" directory.
- Our servers monitor the "/out" directory and, upon successful download of any file in that directory, we will move the file(s) to the "/out/archive" folder where you will be able to access it again for a limited time.
- Please do not delete the files from the "/out" directory once you have downloaded them. It is helpful to both parties to have those files available in the archive if need be.

AS2

For those requiring a higher level of security, Dsco provides access to an AS2 server. Setup and configuration of the AS2 connection are currently manual so please contact our support team at support@dsco.io to make a request to utilize AS2.

Supported Transactions

Tommy Bahama supports the following transaction types:

- 846 Inventory Advice
- 850 Purchase Order (Must use DSCO job template)
- 860 Order Status (Cancel)
- 856 Advance Ship Notice
- 810 Invoice

If you wish to import rich product information, such as product descriptions and images, you will need to utilize our flatfile exchange using CSV, TAB, or Excel formatted files, Dsco's Portal, or Dsco's Catalog API.

ISA Control Numbers

For incoming EDI transactions, Dsco does not require that each transaction has a unique ISA Control Number, but it is best practice to do so, especially in the event that two parties need to research a specific transaction. Dsco will not reject ISA Control Numbers that are not unique.

For outgoing EDI transactions, Dsco will provide an ISA Control Number that starts at 1 and that increments sequentially for each subsequent document.

Delimiters

Although Dsco allows you to configure the following parameters for each individual job, we do utilize the following default settings:

Segment Terminator: ~ (Decimal Value 126 or HEX 7E)

Element Separator: * (Decimal Value 42 or HEX 2A)

Sub-element Separator: > (Decimal Value 62 or HEX 3E)

Repeat Separator: < (Decimal Value 60 or HEX 3C)

When the Standard Version (ISA12) is set to 00501, ISA11 will be designated as the Repeat Separator. Otherwise, ISA11 will be designated as the Interchange Standards Identifier.

For incoming EDI transactions, Dsco automatically detects the characters above as the EDI specification dictates that the Element Separator be the 104th character, the Sub-element Separator be the 105th character, and the Segment Terminator be the 106th character.

997 Acknowledgements

Dsco requires that you return a 997 for each transaction that we send you.

Dsco will generate a 997 for each transaction that we process if you have enabled this feature. All 997 documents we generate will be deposited on our SFTP server within the "/out" directory. Dsco does not currently support the generation of 997 documents that need to be delivered to external destinations. When the AS 2 connection method is used, Dsco will return the 997 through the AS2 connection.

A 997 is not a confirmation that the content delivered or received is correct, only that the transaction was received. If there are issues with the actual content of the transaction, please contact our support team.

Contact Information

For support with your EDI exchange, please visit http://support.dsco.io or email us at support@dsco.io.

^{*} All documents should always be confirmed with your trading partners.

2.1 Timing

It is extremely important to update inventory and orders as quickly as you have accurate/valid data. If you are only able to provide accurate inventory level information daily, it's best to send Dsco your inventory information on a daily basis rather than hourly. However, if you are able to provide accurate information hourly, please do so. Invoice data should be submitted within 24 hours of shipment.

2.2 Data Integrity

Data integrity of all transactions is vital to the quality of the customer experience and a successful Drop Ship program. Two components contribute to the accuracy of the program, EDI syntax and the data itself.

Processing History

Dsco keeps all detailed automation history for all imports and exports for at least 45 days and it is the responsibility of the Dsco user to review the automation history for any errors and to address any notifications sent as a result of processing errors. If questions arise as to any issues or problems, please contact Dsco support at support@dsco.io.

Quality of data


The Tommy Bahama Purchase Order number, SKU, UPC, and Line Item Number sent on the PO must be returned on the return transactions (860 Order Status, 856 Ship Notice, and 810 Invoice) in order for the information to update properly within Dsco.

2.3 Data Retention

Dsco retains full transactional data for every data object for the life of the customer on the Dsco platform. Logs of exchanged files are retained for 90 days.

3.0 EDI Transaction Overview

3.1 EDI Workflow Diagram



3.2 Tommy Bahama EDI Transaction Overview

EDI Description Path

846 Inventory

Supplier to Dsco to Tommy Bahama

Sending anything greater than '0' in the QTY02 segment indicates that the supplier has sufficient stock to fulfill orders. Sending a '0' indicates that the supplier is either out-of-stock on the particular item or, if the supplier has a safety stock level in place, the stock is low enough that the item may end up going on backorder.

Please be sure to include actual quantities. Yes, sending a '1' will set the item to "in-stock" status, but if the retailer has opted to utilize the auto-inventory-decrementing feature within Dsco, that item will immediately be set to "out-of-stock" as soon as the first order is processed for that item.

N/A Product Copy & Images

N/A

The supplier can upload product copy and images through batch automation or manually through the Dsco portal.

850 Purchase Order

Tommy Bahama to Dsco to Supplier

Purchase Orders can be submitted to Dsco at any time of the day so it's important for suppliers to get orders from Dsco as often as possible. Hourly is recommended and daily if hourly is not feasible.

856 Ship Notice

Supplier to Dsco to Tommy Bahama

Also called an ASN (Advance Ship Notice) or Ship Confirm. The supplier must send Dsco this EDI transaction indicating the ship information for orders they have shipped at least daily but hourly if possible. In order to fulfill the delivery commitment to our mutual customer, it is expected that orders will ship based on the service level sent in the 850/PO from the first business day the purchase order is available within Dsco. To successfully update our system, we need to receive the correct SKUs and purchase order number as sent in the original 850/PO. This information will update our internal systems which notify the customer of the status of their order.

If an 856 is sent for items that were canceled previously, Dsco will reject the update.

860 Order Status - Supplier Cancel

Supplier to Dsco to Tommy Bahama

This transaction will update the customer's order if the vendor is unable to fill the order within the expected service level. To successfully update our system, we need to receive the correct SKUs and purchase order number as sent in the original 850/PO. Do not send an EDI 860 for shipped items.

If an 856 is sent AFTER an 860 has already been sent, Dsco will reject the shipment.

810 Invoice

Supplier to Dsco to Tommy Bahama

Invoice information will only be accepted for items that have been shipped. To successfully update our system, we also need to receive the PO number and SKUs as sent in the original 850/PO.

If an 810 is sent for items that were previously canceled, Dsco will reject the invoice.

4.0 Inventory Advice - EDI 846

The Inventory Advice transaction originates with the Supplier, is sent to Dsco, and then the Retailer gets the transaction from Dsco.

Purpose: To inform the Retailer of inventory availability with accurate inventory levels.

Frequency: Inventory information should be processed hourly or as the supplier has accurate inventory level information to provide to Dsco. If hourly is not feasible, at least daily.

- Dsco recommends providing a valid quantity level (the quantity available in the supplier's warehouse that can be shipped upon receipt of a Purchase Order) although any value above 0 means that the item is in-stock.
 - An inventory quantity that is > 0 means the item is in-stock and can be purchased.
 - The supplier can implement any "safety net" algorithm they choose, such as sending a stock quantity of 0 when the item is not truly out-of-stock but rather in the critically low stock level. This level is determined by the supplier.
 - Sending a '1' or anything greater than '0' in the QTY02 segment indicates that the supplier has sufficient stock to fulfill orders. Sending a '0' indicates that the vendor is either out-of-stock on the particular item or stock is low enough that the item may end up going on backorder.

If a '0' quantity is sent, an SCH segment is also requested. This segment provides a future available date in SCH06 which should be either:

The date of the expected availability of the item.

NOTE:

- Sending a '0' quantity 846 record does not affect any orders pending for the item; 860 transactions must be sent to properly cancel any open orders containing that item.
- In the event that data integrity becomes an issue, Dsco may request that the Supplier submit a full inventory transaction rather than changes only.

Warehouse Quantities

Tommy Bahama does not support warehouse-level quantities within their 846 document. If you wish to provide this information, please reach out to Dsco to obtain Dsco's 846 specification.

4.1 846 Segment Hierarchy

Elements with an orange background are Mandatory.

ISA	Interchange Header
GS	Group Header

Header

ST	Transaction Set Header
BIA	Beginning Segment for Inventory / Inquiry
REF	Internal Supplier Number

Line Item Detail Loop (The LIN segment indicates a new item record set)

LIN	Item Identification
PID	Product/Item Description
DTM	Discontinued Date
QTY	Quantity
SCH	Line Item Schedule

Trailer

СТТ	Transaction Totals
SE	Transaction Set Trailer

GE	Group Trailer
IEA	Interchange Trailer

^{*}A SKU and UPC are required for every item in an 846.

4.2 846 Segment Specification

Elements with orange background are Mandatory.

Element	Name	Comment	
ST - Transa	action Set Header (Mandatory)		
ST01	Transaction Set Identifier Code	'846'	
ST02	Transaction Set Control Number	A unique number that is incremented by 1 for each transaction set	
		sent. (Maximum of 9 digits)	
BIA - Begi	nning Segment for Inventory Inquiry (Mandatory)	
BIA01	Transaction Set Purpose Code	'00' for Original	
BIA02	Report Type Code	'MM' Manufacturers Inventory Report	
BIA03	Reference Identification	Sequential Reference Number	
BIA04	Date	Date (CCYYMMDD format)	
BIA05	Time	Time (HHMMSS format)	
REF - Inter	nal Supplier Number (Optional)		
REF01	Reference Identification Qualifier	'IA' for Internal Supplier Number	
REF02	Reference Identification	The Tommy Bahama Vendor Number or Dsco Trading Partner ID.	
LIN - Item	Identification (Mandatory)		
LIN01	Empty	Empty	
LIN02	Product ID Qualifier	'UP' for UPC (required)	
		'VN' for Supplier SKU (required)	
		'EN' for EAN	
		'IN' for Partner SKU (Tommy Bahama SKU)	
LIN03	Product ID	When the qualifier is 'UP': Universal Product Code (UPC)	
		The UPC must be 12 digits to pass validation.	
		When the qualifier is 'EN': European Article Number (EAN)	
		The EAN must be 13 digits to pass validation.	
		When the qualifier is 'IN': Partner SKU (Tommy Bahama SKU) When the qualifier is 'VN': Supplier SKU	
		The Supplier's SKU of the item. A limit of 70 characters is enforced.	
LIN04	Product ID Qualifier	Same as LINO2	
LIN05	Product ID	Same as LIN03	
LIN06	Product ID Qualifier	Same as LINO2	
LIN07	Product ID	Same as LIN03	
	e/Time Reference (Mandatory)	Jame as Entos	
PID01	Item Description Type	'F' for Free-form	
PID05	Description	Item Title	
	re/Time Reference (Optional)		
DTM01	Date/Time Qualifier	'036' for Item Expiration/Date item is no longer available or	
201		discontinued	
DTM02	Date	Product's discontinued date (CCYYMMDD format)	
	QTY - Quantity (Mandatory)		
QTY01	Quantity Qualifier	'33' for Quantity Available for Sale (stock quantity).	
QTY02	Quantity	The numeric value of Quantity that is available for sale. If the quantity	
		is 0 then the status of the item will be set to 'out-of-stock'	
QTY03	Unit of Measure	'EA' for Each	
-	Item Schedule (Optional)		

SCH01	Quantity	Quantity Being Manufactured (Quantity-on-order)	
SCH02	Unit or Basis for Measurement	'EA' for Each	
	Code		
SCH03	empty	empty	
SCH04	empty	empty	
SCH05	Date/Time Qualifier	'018' for Anticipated Availability Date	
		** If sending the SCH05 segment then the SCH06 segment is also	
		required	
SCH06	Date	Anticipated Availability Date (CCYYMMDD format)	
CTT - Tran	CTT - Transaction Totals (Required)		
CTT01	Number of Line Items	The total number of line items in the Transaction Set.	
		The number of LIN segments present in the transaction set.	
SE - Transa	SE - Transaction Set Trailer (Required)		
SE01	Number of Included Segments	Number of segments in the transaction set including ST and SE.	
SE02	Transaction Set Control Number	Must match the value in ST02.	

4.3 846 Examples

Supplier SKU SUPPLIER_SKU03 below is an example where 5 quantity-on-order is provided and expected to be received into the warehouse on 2020-03-17. This item is also discontinued as of 2020-05-20.

```
ISA*00*
           *00*
                    *ZZ*DSCO
                                 *01*082130378
                                                 *200303*1653*U*00401*000000797*0*P*>¬
GS*IB*DSCO*082130378*20200303*1653*797*X*004010VICS¬
ST*846*0001¬
BIA*00*MB*000094441*20200303¬
REF*IA*123456¬
LIN**UP*1234567890121*IN*PARTNER_SKU01*VN*SUPPLIER_SKU01¬
QTY*33*20*EA-
SCH*5*EA***018*20200317-
LIN**UP*1234567890122*IN*PARTNER_SKU02*VN*SUPPLIER_SKU02¬
QTY*33*20*EA-
SCH*5*EA***018*20200317-
LIN**EN*12345678901234*IN*PARTNER_SKU03*VN*SUPPLIER_SKU03¬
PID*F****ITEM TITLE ¬
DTM*036*20200520¬
QTY*33*50*EA-
SCH*5*EA***018*20200317¬
CTT*22¬
SE*15*0001¬
GE*1*797¬
IEA*1*00000797¬
```

5.0 Purchase Order - EDI 850

The Purchase Order transaction originates with Tommy Bahama, is sent to Dsco, and is then exported to the Supplier.

NOTE: These 850 specifications reflect version 5010VICS of the 850.

Purpose: To transmit new Tommy Bahama orders to the supplier.

Frequency: Purchase Orders should be processed hourly. If hourly is not feasible, at least daily.

5.1

Reference link to Dsco EDI Specifications for EDI 850: https://support.dsco.io/hc/en-us/articles/236101188-edi-for-suppliers#edi_spec

6.0 Advance Ship Notice - EDI 856

The Advance Ship Notice (ASN or Ship Confirm) transaction originates with the Supplier, is sent to Dsco, and is then sent to Tommy Bahama.

Purpose: To inform the customer of the tracking information they can use to track the progress of the order that has been shipped.

Frequency: Shipment information should be processed hourly. If hourly is not feasible, at least daily.

6.1 856 Segment Hierarchy

Elements with an orange background are Mandatory.

ISA	Interchange Header
GS	Group Header

Header

ST	Transaction Set Header
BSN	Beginning Segment for Ship Notice

Shipment Detail

HL	Shipment Hierarchical Level
TD5	Carrier Details
REF	Internal Supplier Number
REF	Reference
DTM	Ship Date-Time
DTM	Estimated Delivery Date-Time
N1	Ship-To Name

Order Detail

HL	Order Hierarchical Level
PRF	Purchase Order Reference
TD1	Carrier Details - Quantity and Weight
N1	Party Identification

Package Detail

HL	Package Hierarchical Level
MAN	Marks and Numbers (Carrier Tracking Numbers)

Line-Item Detail

HL	Item Hierarchical Level
LIN	Item Identification
SN1	Shipment Item Detail

Trailer

CTT	Number of Line Items
SE	Transaction Set Trailer

GE	Group Trailer
IEA	Interchange Trailer

6.2 856 Segment Specification

Elements with an orange background are Mandatory.

Element	Name	Comment	
ST - Transaction Set Header (Mandatory)			
ST01	Transaction Set Identifier Code	'856'	
ST02	Transaction Set Control Number	A unique number that is incremented by 1 for each transaction set	
		sent. (Maximum of 9 digits)	
	nning Segment for Ship Notice (Man		
BSN01	Transaction Set Purpose Code	'00' Original	
BSN02	Shipment Identification	A unique control number assigned by Supplier to identify a specific shipment	
BSN03	Date	Date. Format: CCYYMMDD	
BSN04	Time	Time. Format: HHMM	
HL - Shipm	nent Hierarchical Level (Mandatory)		
HL01	Hierarchical ID Number	'1'	
HL02	Hierarchical Parent ID Number	empty	
HL03	Hierarchical Level Code	'S' for Shipment	
TD5 - Carr	ier Details (Mandatory)		
TD501	Empty	Empty	
TD502	Identification Code Qualifier	'2' for Standard Carrier Alpha Code (SCAC)	
TD503	Shipping Service Level Code	Shipping Service Level Code	
		Available service codes can be found in Appendix B at the end of this	
		document.	
REF - Inter	nal Supplier Number (Optional)		
REF01	Reference Identification Qualifier	'CN' for Carriers Tracking Number 'BM' for Bill of Lading Number If shipping LTL or Truck, use BM and Reference Bill of Lading Number, PRO Number, Manifest Number, or Master Tracking Number. If shipping small parcel, use CN and reference the tracking number. The Appointment Number is the Load Number (BGN02) from the 754 Routing Response.	
REF02	Reference Identification	Reference information	
DTM - Shi	Date/Time (Mandatory)		
DTM01	Date/Time Qualifier	'011' for Shipped Date	
DTM02	Date	Date Shipped in format CCYYMMDD	
DTM03	Time	Time Shipped in format HHMM	
	nated Delivery Date/Time (Mandator		
DTM01	Date/Time Qualifier	'017' for Estimated Delivery	
DTM02	Date	Date Shipped in format CCYYMMDD	
DTM03	Time	Time Shipped in format HHMM	
	raphical Information (Optional)		
N101	Entity Identifier Code	'SF' for Ship From	
		'ST' for Ship To	
N102	Name	Free-form name	
N103	Identification Code Qualifier	'92' Assigned by Buyer or Buyer's Agent	

HL - Item HL01	Hierarchical Level (Mandatory) Hierarchical ID Number	A unique number assigned by the sender to identify a particular data
HL - Item	Hierarchical Level (Mandatory)	ioi cucii curtoii.
		Tor cacification.
IVII TINUZ	Walks and Nambers	for each carton.
MAN02	Marks and Numbers Qualifier	Carriers Tracking number - If small parcel, carrier tracking is required
MAN01	Marks and Numbers Qualifier	'CP' for Carrier-Assigned Package ID Number
MAN - Ma	arks and Numbers (Mandatory) - Car	barcode - Required if shipping to a Tommy Bahama store location.
MAN02	Marks and Numbers	SSCC Barcode - 20-digit Container ID Code corresponding to UCC-128
MAN01	Marks and Numbers Qualifier	'GM' for SSCC Barcode
		Mandatory for ship-to-store orders)
HL03	Hierarchical Level Code	'P' for Package
111.03	His manshipal Land Co. I	For example: '2' (Parent in the order hierarchy)
		data segment being described is subordinate to.
HL02	Hierarchical Parent ID Number	Identification number of the next hierarchical data segment that the
		For example: '3'
		segment in a hierarchical structure.
HL01	Hierarchical ID Number	A unique number assigned by the sender to identify a particular data
HL - Item	Hierarchical Level (Mandatory)	
N104	Identification Code	Final Destination Store Location Number
N103	Identification Code Qualifier	'92' for Assigned by Buyer or Buyer's Agent
N102	Name	Free-form name
N101	Entity Identifier Code	'BY' for Buying Party
N1 – Party	y Identification (Mandatory)	
		'LB' for Pound
10100	Code	manner in which a measurement has been taken
TD107	Unit or Basis for Measurement	Code specifying the units in which a value is being expressed, or
TD100	Weight Description	The numeric value of weight
TD105	Empty	Empty
TD104 TD105	Empty	Empty
TD103	Empty Empty	Empty Empty
TD102	,	
TD102	Lading Quantity	Number of units (pieces) of the lading commodity
TD101	Packaging Code	'CTN' for Carton + '25' for Corrugated or Solid
	rier Details - Quantity and Weight (I	'BOX' for Box
TD1	rior Datails - Quantity and Wainley	transaction)
PRF01	Purchase Order Number	Tommy Bahama PO number (as found in the BEG segment of the 850
	chase Order Reference (Mandatory)	
HL03	Hierarchical Level Code	'O' for Order
		For example: '1' (Parent is the shipment hierarchy)
		data segment being described is subordinate to.
HL02	Hierarchical Parent ID Number	Identification number of the next hierarchical data segment that the
		For example: '2'
		segment in a hierarchical structure.
HL01	Hierarchical ID Number	A unique number assigned by the sender to identify a particular data
HL - Orde	r Hierarchical Level (Mandatory)	
		SF – Vendor Number as transmitted in the REF02, (IA) 850
	raentinoación coac	850
N104	Identification Code	ST – Tommy Bahama's Ship-To location as transmitted in the N104

		For example: '4'	
HL02	Hierarchical Parent ID Number	Identification number of the next hierarchical data segment that the	
		data segment being described is subordinate to.	
		For example: '3' (Parent in the order hierarchy)	
HL03	Hierarchical Level Code	'I' for Item	
LIN - Line-l	tem Identification (Mandatory)		
LIN01	Assigned ID	Line item number on the PO.	
LIN02	Product ID Qualifier	'MN' for Supplier SKU (Required)	
		'UP' for UPC'	
		'EA' for EAN	
LIN03	Product ID	When the Qualifier is 'MN': Supplier SKU	
		When the Qualifier is 'UP': Universal Product Code (UPC) 12 digits	
		When the Qualifier is 'EN': European Article Number (EAN) 12 digits	
SN1 - Ship	ment Item Detail (Mandatory)		
SN101	empty	empty	
SN102	Number of Unit Shipped	Number of units shipped	
SN103	Unit or Basis for Measurement	'EA' for Each	
CTT - Trans	CTT - Transaction totals		
CTT01	Number of Line Items	The Number of HL segments present in the Transaction Set	
SE - Transa	action Set Trailer (Mandatory)		
SE01	Number of Included Segments	Number of segments in the transaction set including ST and SE.	
SE02	Transaction Set Control Number	Must match value in ST02.	

6.3 Example 856

Direct-to-Consumer Example

```
ISA*00*
           *00*
                   *ZZ*DSCO
                                *ZZ*DSCO
                                              *190115*1536*U*00401*000007799*0*P*>¬
GS*SH*DSCO*DSCO*20190115*1536*8323*X*004010VICS¬
ST*856*5003764¬
BSN*00*000080119*20190115*1535¬
HL*1**S¬
TD5**2*FDEN¬
REF*BM*211517¬
DTM*011*20190115¬
DTM*017*20190115¬
N1*ST**92*409D-
N1*SF*Tommy Bahama Vendor*9*217489¬
HL*2*1*0¬
PRF*724201¬
TD1*CTN25*6****12.24*LB¬
N1*BY**92*409D¬
HL*3*2*P¬
MAN*CP*trackingnumber01¬
HL*4*3*I¬
LIN**MN*MYSKU*UP*083941050402¬
SN1**72*EA¬
CTT*4¬
SE*20*5003764¬
```

GE*1*8323¬ IEA*1*000007799¬

Ship-To-Store Example

ISA*00* *00* *ZZ*DSCO *ZZ*DSCO *190115*1536*U*00401*000007789*0*P*>¬ GS*SH*DSCO*DSCO*20190115*1536*8322*X*004010VICS¬ ST*856*5003763¬ BSN*00*000080119*20190115*1535¬ HL*1**S¬ TD5**2*FDEN¬ REF*BM*211517¬ DTM*011*20190115¬ DTM*017*20190115¬ N1*ST**92*409D-N1*SF*Tommy Bahama Vendor*9*217489¬ HL*2*1*0-PRF*724202-TD1*CTN25*6*****12.24*LB¬ N1*BY**92*409D-HL*3*2*P-MAN*CP*trackingnumber01¬ MAN*GM*00123456789012345678¬ HL*4*3*I¬ LIN**MN*MYSKU*UP*083941050402¬ SN1**72*EA-CTT*4¬ SE*21*5003763-GE*1*8322¬ IEA*1*000007789¬

LTL Example

ISA*00* *00* *ZZ*DSCO *ZZ*DSCO *190115*1536*U*00401*000007891*0*P*>¬ GS*SH*DSCO*DSCO*20190115*1536*8333*X*004010VICS¬ ST*856*5003777¬ BSN*00*000080119*20190115*1535¬ HL*1**S¬ TD5**2*FDEN¬ REF*BM*211517¬ REF*CN*trackingnumber01¬ DTM*011*20190115¬ DTM*017*20190115¬ N1*ST**92*010D¬ N1*SF*Tommy Bahama Vendor*9*217489¬ HL*2*1*0¬ PRF*724200¬ TD1*CTN25*6*****12.24*LB¬ N1*BY**92*010D-HL*3*2*P¬ MAN*CP*trackingnumber01¬ MAN*GM*00123456789012345678¬

HL*4*3*I¬ LIN**MN*MYSKU*UP*083941050402¬ SN1**72*EA¬ CTT*4¬ SE*22*5003777¬ GE*1*8333¬ IEA*1*000007891¬

7.0 Order Cancel - EDI 860

The Order Cancel transaction originates with the Supplier, is sent to Dsco, and is then sent to Tommy Bahama.

Purpose: To inform the customer of order items that cannot be shipped/fulfilled and have been canceled.

Frequency: Order Cancel information should be processed hourly. If hourly is not feasible, at least daily.

If any line-item is canceled for 'out of stock' reason, it is expected that an 846 will be sent that sets the item to out-of-stock status (quantity = 0).

7.1 860 Segment Hierarchy

Elements with orange background are Mandatory.

ISA	Interchange Header
GS	Group Header

Header

ST	Transaction Set Header
ВСН	Beginning Segment for Order Status Report

REF	Internal Supplier Number
REF	Order Cancellation Reason Code
DTM	Date/Time Reference
N9	Reference Identification
MSG	Message

Line Item Detail

POC	Line Item Change
PID	Product/Item Description

Trailer

CTT	Number of Line Items
SE	Transaction Set Trailer

GE	Group Trailer
IEA	Interchange Trailer

7.2 860 Segment Specification

Elements with orange background are Mandatory.

Element	Name	Comment
ST - Transa	action Set Header (Mandatory)	
ST01	Transaction Set Identifier Code	'860'
ST02	Transaction Set Control Number	A unique number that is incremented by 1 for each transaction set
		sent. (Maximum of 9 digits)
BCH - Begi	nning Segment for Order Status Repo	ort (Mandatory)
BCH01	Status Report Code	'01' for Cancellation
BCH02	Order/Item Code	'SA' for Stand-alone Order
BCH03	Reference Identification	Tommy Bahama Purchase Order Number
BCH04	Empty	Empty
BCH05	Empty	Empty
BCH06	Date	Date (CCYYMMDD format) - Order Create Date
BCH07	Empty	Empty
BCH08	Empty	Empty
BCH09	Empty	Empty
BCH10	Empty	Empty
BCH11	Date	Date (CCYYMMDD format) - Order Cancel Date
REF - Inter	nal Supplier Number (Optional)	
REF01	Reference Identification Qualifier	'IA' Internal Supplier Number
REF02	Reference Identification	Trading Partner ID is used as the first priority, otherwise, the Dsco
		supplier ID will be utilized
REF - Inter	nal Supplier Number (Mandatory)	
REF01	Reference Identification Qualifier	'ZZ' for Mutually Defined
REF02	Reference Identification	Tommy Bahama requires that a reason code be supplied with each
		cancellation message. Tommy Bahama supports the following codes:
		<u>Code Name</u>
		CXSS Item(s) Ordered are Currently Out of Stock
		CXSD Item(s) Ordered are Currently Discontinued
		CXSN Item(s) Ordered are NOT Out of Stock, but here is not enough
		stock to fill the order
		CXSB The Shipping Address is Incorrect or Invalid
		CXSI Shipping Instructions are Invalid
		CXST Supplier Cannot Ship by the Required Delivery Date
		CXSC Retailer Requested the Supplier to Cancel the Item
		CXSO Reason Other
	e-Item Original Quantity (Mandatory)	
DTM01	Date/Time Qualifier	'001' for Cancel Date
DTM02	Date	Cancel-After Date - the date the order is considered to be cancelled -
		in format CCYYMMDD
	s (Optional)	Land
N901	Reference Identification Qualifier	'AH'
N902	Note	Hard-code to 'PO NOTE'
	Item Change	
POC01	Assigned Identification	Line item number on the PO.
POC02	Change or Response Type Code	'DI' for Delete Item
POC03	Quantity Ordered	Number of items ordered

POC04	Quantity being canceled	Quantity being canceled		
POC05	Composite Unit of Measure	'EA' for Each		
POC06	Price	Price of Item		
POC07	Empty	Empty		
POC08	Product ID Qualifier	'MN' for Supplier SKU (Required)		
		'UP' for UPC'		
		'EA' for EAN		
		'SK' for Tommy Bahama SKU		
POC09	Product ID	When the qualifier is 'MN': Supplier SKU		
		When the qualifier is 'UP': The UPC of the item, 12 digits.		
		When the qualifier is 'EN': The EAN of the item, 13 digits.		
		When the qualifier is 'SK': Tommy Bahama SKU for item		
POC10	Product ID Qualifier	Same as POC08		
POC11	Product ID	Same as POC09		
POC12	Product ID Qualifier	Same as POC08		
POC13	Product ID	Same as POC09		
PID - Item	Status Report (Optional)			
PID01	Item Description Type	'F' for Free-Form Text		
PID05	Description	Free-Form Text product description		
CTT - Trans	CTT - Transaction totals			
CTT01	Number of Line Items	Total number of line items in the Transaction Set		
		The Number of POC segments present in the Transaction Set		
SE - Transa	SE - Transaction Set Trailer (Mandatory)			
SE01	Number of Included Segments	Number of segments in the transaction set including ST and SE.		
SE02	Transaction Set Control Number	Must match the value in ST02.		

9.3 Example 860

ISA*00* *00* *ZZ*DSCO *01*082130378 *200211*0500*U*00401*000016514*0*P*>¤ GS*PC*DSCO*082130378*20200211*0500*1859*X*004010VICS¤ ST*860*000135060¤

BCH*01*SA*7480666***20190616*****20200208¤

REF*IA*123456¤

REF*ZZ*CXSS¤

DTM*001*20200208¤

N9*AH*PO NOTEX

POC**DI*1*1*EA*9.83**UP*123456789012¤

PID*F***item description¤

POC**DI*2*2*EA*9.83**MN*supplier_sku1*EN*1234567890123¤

POC**DI*3*3*EA*9.83**MN*supplier_sk2x

POC**DI*4*4*EA*9.83**MN*supplier_sku3*SK*Tommy Bahama_skux

CTT*1¤

SE*13*000135060¤

GE*1*1859¤

IEA*1*000016514¤

8.0 Invoice - EDI 810

The Invoice transaction originates with the Supplier, is sent to Dsco, and then is sent to Tommy Bahama.

Purpose: To inform Tommy Bahama of the cost to be paid to the Supplier for the given order.

Frequency: Invoice information should be processed hourly. If hourly is not feasible, at least daily.

It is up to Tommy Bahama to determine whether the invoices should be transmitted for the cost of goods only or whether shipping and handling should be included. Suppliers, please check with Tommy Bahama to ensure that you are invoicing properly, according to their needs. In cases where the supplier is shipping on Tommy Bahama's shipping account, no shipping charges should be included on the invoice, and where a Handling Fee has been agreed upon, charges should be included on the invoice as outlined in the 810 Segment Hierarchy Specifications below.

Payment terms are set between the Tommy Bahama and Supplier. Dsco does not determine or set the payment terms.

Information provided in this transaction must be based on the 850 file sent: purchase order number, line item number, consumer order number, and supplier SKU.

It is the responsibility of Tommy Bahama to contact the Supplier directly if there are any issues with the invoices that were created and delivered using Dsco.

8.1 810 Segment Hierarchy

Elements with an orange background are Mandatory.

ISA	Interchange Header
GS	Group Header

Header

ST	Transaction Set Header	
BIG	Beginning Segment for Invoice	
CUR	Currency	
REF	Internal Supplier Number	
N1	Ship-To Name	
ITD	Terms of Sale	

Line-Item Detail

IT1 Baseline Item Detail

Summary

TDS	Total Monetary Value Summary
TXI	Taxes

Trailer

CTT	Transaction Set Totals
SE	Transaction Set Trailer

GE	Ē.	Group Trailer
IE	A	Interchange Trailer

** Included in exports only. These are generated by the Dsco platform so suppliers do not need to include these segments.
Version 1.6 2025-05-27

8.2 810 Segment Specification

Elements with orange background are Mandatory.

Elements with a yellow background are Recommended.

Elements with a blue background are Trading Partner Required. Check with your specific trading partner to know whether the element needs to be included.

Elements with a grey background are only found whenever Dsco exports that document and does not need to be included in any imports.

Element	Name	Comment
ST - Trans	action Set Header (Mandatory)	
ST01	Transaction Set Identifier Code	'810'
ST02	Transaction Set Control Number	A unique number that is incremented by 1 for each transaction set
		sent. (Maximum of 9 digits)
BIG Segm	ent - Beginning Segment for Invoice (Mandatory)
BIG01	Invoice Date	Date invoice was generated.
		Format: CCYYMMDD
		Future dates are not valid. Should be the same as the shipment date.
BIG02	Invoice Number	Assigned by sender.
BIG03	PO Date	PO Date in format CCYYMMDD
BIG04	PO Number	PO Number
	ernal Supplier Number (Optional)	
REF01	Reference Number Qualifier	'IA' - Internal Supplier Number
REF02	Reference Number	Trading Partner ID is used as the first priority, otherwise the Dsco
A115 A	(2.2	Supplier ID will be utilized.
	rency (Mandatory)	(pylif p : p :
CUR01	Entity Identifier Code	'BY' for Buying Party
CUR02	Currency Code	'USD' or 'CAD'
_	To Name (Optional)	ICTI C. CLI . T.
N101	Entity Identifier Code	'ST' for Ship-To
N102	Name	Customer name that should be displayed on the package address
N103	Identification Code Qualifier	label and packing slip. '92' - Assigned by Buyer or Buyer's Agent
N103	Identification Code Qualifier	'909D' for direct to consumer or store location for ship-to-store
11104	identification code	orders, 001D, e.g.
ITD - Tern	ns of Sale (Mandatory) Terms Net Du	
ITD01	Empty	Empty
ITD02	Empty	Empty
ITD03	Empty	Empty
ITD04	Empty	Empty
ITD05	Empty	Empty
ITD06	Terms Net Due Date	The date payment of the invoice is due in full.
	line Item Data (Mandatory)	1, 2, 1, 2, 2, 2, 2, 2, 2, 2, 2, 2, 2, 2, 2, 2,
IT101	Assigned Identifier	Invoice line number
IT102	Quantity Invoiced	Units shipped per line item
IT103	Unit of Measurement Code	'EA' for Each
IT104	Unit Price - R 1/17	Price per unit.
		Format: 999.99
		Attention: The decimal place must be included.
IT105	Empty	Empty

IT106	Product ID Qualifier	'MN' for Supplier SKU (required)
		'UP' for UPC
		'EN' for EAN
IT107	Product ID	When the qualifier is 'MN': Supplier SKU
		When the qualifier is 'UP': The UPC of the item, 12 digits.
		When the qualifier is 'EN': The EAN of the item, 13 digits.
IT108	Product ID Qualifier	Same as IT106
IT109	Product ID	Same as IT107
TDS - Tota	al Monetary Value Summary (Mandat	ory)
TDS01	Total Invoice Amount	The total amount of the invoice plus all charges minus all allowances.
		Format: 99999
		Attention: The decimal place is implied and must not be included.
AMT - Ha	ndling Charge Amount (Optional)	
AMT01	Amount Qualifier	'OH' for Handling Charges
AMT02	Amount	Handling Charge Amount in format: 999.99
		Attention: The decimal place must be included.
TXI - Taxe	es (Conditional – required for Canada	invoices)
TXI01	Empty	Empty
TXI02	Tax Amount	Tax Amount
TXI03	Empty	Empty
TXI04	Tax Jurisdiction Code Qualifier	Tax Jurisdiction Code Qualifier
TXI05	Tax Jurisdiction Code	Tax Jurisdiction Code
TXI06	Tax Exempt Code	Tax Exempt Code
TXI07	Empty	Empty
TXI08	Empty	Empty
TXI09	Tax Identification Number	Tax Identification Number
TXI10	Tax Description	Tax Description (valid values: GST, HST, PST, QST)
CTT - Trar	saction Totals (Mandatory)	
CTT01	Number of Line Items	The number of IT1 segments present in the transaction set.
SE - Trans	action Set Trailer (Mandatory)	
SE01	Number of Included Segments	The number of segments in transaction set including ST and SE.
SE02	Transaction Set Control Number	Must match the value in ST02.

8.3 Example 810

US example:

ISA*00* *00* *ZZ*DSCO *01*082130378 *200211*1543*U*00401*100003134*O*P*}¤
GS*IN*DSCO*082130378*20200211*1543*4134*X*004010VICS¤
ST*810*4134¤
BIG*20200211*59736**7897039¤
CUR*BY*USD¤
REF*IA*123456¤
N1*ST*Guest User*92*001D¤
ITD******20200412¤
IT1*1*1*EA*11.22**UP*123456789012¤
IT1*2*2*EA*33.44**EN*1234567890123¤

IT1*3*3*EA*22.33**MN*supplier_sku03¤ TDS*4319¤ CTT*3¤ SE*11*4134¤ GE*1*4134¤ IEA*1*100003134¤

Canada example

ISA*00* *00* *ZZ*DSCO *01*082130378 *200211*1543*U*00401*100003134*0*P*}¤ GS*IN*DSCO*082130378*20200211*1543*4134*X*004010VICS¤ ST*810*4134¤ BIG*20200211*59736**7897039¤ CUR*BY*CAD¤ REF*IA*123456¤ N1*ST*Guest User*92*001Dx ITD*****20200412¤ IT1*1*1*EA*11.22**UP*123456789012¤ IT1*2*2*EA*33.44**EN*1234567890123¤ IT1*3*3*EA*22.33**MN*supplier_sku03¤ TDS*4319¤ TXI**12.00*******GST TXI**15.00******HST CTT*3¤ SE*11*4134¤ GE*1*4134¤ IEA*1*100003134¤

Appendix A - ISA, GS, GE, and IEA

ISA - Interchange Header

ElementID	Element Number	Name	Length	Comment
ISA01	101	Authorization Information	2	'00' for No authorization information present.
		Qualifier		
ISA02	102	Authorization Information	10	Not Used
ISA03	103	Security Information	2	'00' for No security information present.
		Qualifier		
ISA04	104	Security Information	10	Not Used
ISA05	105	Interchange ID Qualifier	2	If the sender is Vendor, the ID can be selected by the
				Vendor.
ISA06	106	Interchange Sender ID	15	The Sender's ID
				If the sender is Dsco, then ID will be "DSCO"
				If the sender is Vendor, the ID should be the Vendor's
				ISA ID number.
ISA07	105	Interchange ID Qualifier	2	'ZZ' for Mutually defined
ISA08	107	Interchange Receiver ID	15	The Receiver's ID
				If the receiver is Dsco, then ID should be "DSCO"
ISA09	108	Date	6	The date the envelope was generated. (YYMMDD)
ISA10	109	Time	4	The time the envelope was generated. (HHMM)
ISA11	I10	Interchange Standards	1	'U' for the US. EDI Community of X12, TDCC, and UCS.
		Identifier		
ISA12	l11	Interchange Version ID	5	'00401' for 4010
ISA13	l12	Interchange Control	9	Sender assigned sequential number incremented by 1
		Number		for each transmission. Default starts at 1, unless edited
				within the portal.
ISA14	I13	Acknowledgment	1	'0' for No Interchange Acknowledgment and '1' if
		Requested		requested.
ISA15	114	Test Indicator	1	'P' for Production data
				'T' for Test data
ISA16	I15	Sub-element Separator	1	'>'

GS - Group Header

ElementID	Element Number	Name	Length	Comment
GS01	479	Functional ID	2	Functional Identification Code
GS02	142	Application Sender's Code	2/15	The Sender's ID.
GS03	124	Application Receiver's Code	2/15	The Receiver's ID.
GS04	29	Data Interchange Date	8	Date Group was generated. (CCYYMMDD)
GS05	30	Data Interchange Time	4	Time Group was generated. (HHMM)
GS06	28	Data Interchange Control Number	1/9	Control number incremented by 1 for each group generated. Default starts at 1, unless edited within the portal.
GS07	455	Responsible Agency Code	1/2	'X' for Accredited Standards Committee X12.
GS08	480	Version	1/12	'004010VICS'

GE - Group Trailer

ElementID	Element Number	Name	Length	Comment
GE01	97	Number of Included Transaction Sets	1/6	The number of ST segments within the group.
GE02	28	Data Interchange Control Number	2/9	Must match GS06.

IEA - Interchange Trailer

ElementID	Element Number	Name	Length	Comment
IEA01	116	Number of Included Groups	5	The number of GS segments within the transmission.
IEA02	112	Interchange Control Number	9	Must match ISA13.

Appendix B - Dsco Standard Shipping Codes

The Ship Methods that are required by Tommy Bahama are available from the Dsco Dashboard by selecting Settings > Mapping Settings > Ship Mapping. The highlighted rows identify the ship method codes that are required by Tommy Bahama on all supplier shipment transactions.

For more information, <u>Setting Up Supplier Ship Mapping</u>.

Appendix C - Tommy Bahama Required Onboarding Fields

The following are the various fields that Tommy Bahama requires in order to onboard and send data through CommerceHub's Dsco platform.

These are the fields required by Tommy Bahama for you to create any of this data within CommerceHub's Dsco platform. Note that these are fields required by Tommy Bahama and may or may not overlap with CommerceHub's Required fields.

These Required Fields pertain to all import methods (i.e. EDI File, CSV file, XLS file, etc.)

Inventory

Name	CSV Field	EDI Field
SKU	sku	LIN02,03
UPC	upc	LIN*UP
Quantity Available to Sell	quantity_available	QTY

Cancellation

Name	CSV Field	EDI Field
Purchase Order Number	po_number	PRF01
Line Item Line Number	line_item_line_number	PO101
Line Item Quantity	line_item_status_quantity	PO102
Line Item SKU	line_item_sku	PO107
Line Item Cancel Code	line_item_cancel_code	ISR03

Shipment

Name	CSV Field	EDI Field
Purchase Order Number	po_number	PRF01
Line Item Line Number	line_item_line_number	LIN01
Line Item SKU	line_item_sku	LIN03
Line Item Quantity	line_item_quantity	SN102
Package Tracking Number	package_tracking_number	REF*CN
Package Ship Carrier	package_ship_carrier	TD503
Package Ship Method	package_ship_method	TD505
Package SSCC Barcode*	package_sscc_barcode	MAN*GM

 $^{{}^*\}mathsf{Only}$ required for ship-to-store orders.

Invoice

Name	CSV Field	EDI Field
Invoice Date	invoice_date	BIG01
Invoice ID	invoice_id	BIG02
Purchase Order Number	po_number	BIG04
Invoice Total Amount	invoice_total_amount	TDS01
Invoice Currency Code	invoice_currency_code	CUR02
Line Item Line Number	line_item_line_number	IT101
Line Item Quantity	line_item_quantity	IT102
Line Item Unit Price	line_item_unit_price	IT104
Line Item SKU	line_item_sku	IT106
Invoice Terms Net Due Date	invoice_terms_net_due_date	ITD06